



Nordmann AT4


Dampf-Luftbefeuchter
Steam air humidifier
Humidificateur d'air à vapeur



ERSATZTEILLISTE
SPARE PARTS LIST
LISTE DE PIÈCES DE RECHANGE







Pos	Artikel Article Article	Typ Type Type	Heizspannung Heating voltage Tension de chauffage		400V										230V							Art.-/SAP-Nr. Art.-/SAP-No. Art.-/SAP-No.
			Phasen/Phases/Phases		2	3	3	3	3	3	3	3	3	3	1	3	3	3	3	3	3	
			Dampfleistung [kg/h] Steam capacity [kg/h] Capacité de vapeur [kg/h]		5/8	5/8	15	23	32	45	64	65	90	130	5/8	5/8	15	23	32	46	64	
			524 / 824	534 / 834	1534	2364	3264	4564	6464	6564	9064	13064			522 / 822	532 / 832	1532	2362	3262	4662	6462	
100	Steuerelektronik Control PCB Unité de commande		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2560020
101	Leistungsprint Power board Platine de puissance		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2560162 2560163
102	Bedienpanel kpl. Control panel cpl. Panneau de commande cpl.		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2560155
103	Folientastatur Keypad Clavier		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2560157
104	Netzschalter Power switch Interrupteur du réseau		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2549686
105	Betriebs- und Störungsfernmeldung Remote operation and fault indication Télésignalisation de travail et de dérangement		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2559421
106	Schütz Contactor Contacteur	25 A 50 A 65 A 80A 110 A	1	1	1		1	1	2		2				1	1	1			2	2	2538522 2538523 2538518 2559584 2538521
107	Erdungsklemme Earth terminal Bloc de terre	10mm² 16mm² 35mm²	1	1	1		1	1	2		2		2		1	1		1	1	2	2	2559585 2559586 2559587
108	Verschluss kpl., 2 Stk. Door lock cpl., 2 pcs Fermeture cpl., 2 pcs		1	1	1	1	1	1	2	1	2	2	2	2	1	1	1	1	1	2	2	2560167
---	Kabel Steuerelektronik -> Leistungsprint Cable control PCB -> power board Câble unité de commande -> platine de puissance		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2560158
---	Kabel Ventil + Pumpe Cable valve + pump Câble vanne + pompe		1	1	1	1		1	1	2	1	2	2	2	1	1	1	1		2	2	2560159 2560160
---	Sicherung, 3 Stk. Fuse, 3 pcs Fusible, 3 pcs	6.3A T 315 mA F 400 mA F	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2559615 2560241 2560242
200	Erdelektrode Earth electrode Electrode de terre		1	1	1	1	1	1	2	1	2	2	2	2	1	1	1	1	1	2	2	2560028
201	Schlauchset Einlass Hose set inlet Set de tuyau d'alimentation		1	1		1		1	1	2	1	2	2	2	1	1		1		2	2	2560091 2560092 2560093
202	Schlauchset Pumpe Hose set pump Set de tuyau pompe		1	1		1		1	1	2	1	2	2	2	1	1		1		2	2	2560111 2560112 2560113
203	Entleerungsschlauch Draining hose Tuyau de vidange		1	1		1		1	1	2	1	2	2	2	1	1		1		2	2	2560094 2560095 2560096
204	Schlauchklemme ø19.0-19.5, 5 Stk. Hose clamp ø19.0-19.5, 5 pcs Pince à tuyau ø19.0-19.5, 5 pcs		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2553663

		Heizspannung Heating voltage Tension de chauffage		400V										230V						
		Phasen/Phases/Phases		2	3	3	3	3	3	3	3	3	3	3	3	3	3			
		Dampfleistung [kg/h] Steam capacity [kg/h] Capacité de vapeur [kg/h]		5/8	5/8	15	23	32	45	64	65	90	130	5/8	5/8	15	23	32	46	
Pos	Artikel Article Article	Typ Type Type	524 / 824	534 / 834	1534	2364	3264	4564	6464	6564	9064	13064	522 / 822	532 / 832	1532	2362	3262	4662	6462	Art.-/SAP-Nr. Art.-/SAP-No. Art.-/SAP-No.
205	Schlauchklemme ø21.0-22.0, 5 Stk. Hose clamp ø21.0-22.0, 5 pcs Pince à tuyau ø21.0-22.0, 5 pcs		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2560090
206	Schlauchklemme ø30.7-31.7, 5 Stk. Hose clamp ø30.7-31.7, 5 pcs Pince à tuyau ø30.7-31.7, 5 pcs		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2553662
207	Schlauchbride, 5 Stk. Screw hose clamp, 5 pcs Collier de serrage, 5 pcs	ø30	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2553664
208	Einlassventil Inlet valve Vanne de remplissage	0.5 l/min. 1.2 l/min. 2.5 l/min. 3.3 l/min.	1	1		1	1		1	2		2		1	1		1	2	2	2549696 2560021 2560022 2560023
209	Synchronpumpe kpl. Synchronous pump cpl. Pompe synchrone cpl.		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2560166 2560257
210	Dichtring Pumpengehäuse Gasket for pump housing Joint pour boîtier de pompe		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2549680
211	Kupplungsmuffe kpl. Coupling sleeve cpl. Manchon d'accouplement cpl.		1	1	1	1	1	1	2	1	2	2		1	1	1	1	2	2	2560165
212	O-Ring, 10 Stk. O-ring seall, 10 pcs Joint O-ring, 10 pcs		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2402914
213	Wasserbecher kpl. Water cup cpl. Godet d'eau cpl.		1	1	1	1	1	1	2	1	2	2		1	1	1	1	2	2	2559988
214	Ablaufbecher kpl. Drain cup cpl. Godet d'écoulement cpl.		1	1	1	1	1	1	2	1	2	2		1	1	1	1	2	2	2560026
215	Wasseranschluss Panzerschlauch Water supply armored Tuyau de remplissage blindé	3/4" - 3/8"	1	1	1	1	1	1	2	1	2	2		1	1	1	1	2	2	2549690
216	Flachdichtung, 5 Stk. Gasket, 5 pcs Joint, 5 pcs	3/4" (ø24xø15 x 2mm)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2549688
217	Flachdichtung, 5 Stk. Gasket, 5 pcs Joint, 5 pcs	3/8" (ø15xø7.5 x 2mm)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2549695
218	Zylinderhalterung Cylinder fixing Fixation du cylindre	ø22 mm, 5/8 kg/h ø35 mm, 15 kg/h ø35 mm, 23 kg/h ø35 mm, 32 kg/h 2x ø35 mm, 45/65 kg/h ø35 mm, 46 kg/h	1	1		1		1		2		1	2	2		1		2		2560168 2560169 2560210 2560211 2560212 2560213
219	Blende Bezel Bandeau	ø35 mm, 5/8 kg/h ø65 mm, 15/23 kg/h ø65 mm, 32 kg/h 2x ø65mm, 45/65 kg/h	1	1		1	1		1	2		1	2	2		1	1	1	2	2560151 2560152 2560153 2560154
220	Dampfschlauch Steam hose Tuyau de vapeur	DS22 (ø22/31mm) DS35 (ø35/46mm)	x	x		x	x	x	x	x	x	x		x	x		x	x	x	1105176 2400010
221	Schlauchbride für Dampfschlauch, 2 Stk. Screw hose clamp for steam hose, 2 pcs Collier de serrage pour tuyau de vapeur, 2 pcs		x	x		x	x	x	x	x	x	x		x	x		x	x	x	2553661 2539583

		Heizspannung Heating voltage Tension de chauffage		400V										230V						
		Phasen/Phases/Phases		2	3	3	3	3	3	3	3	3	3	1	3	3	3	3	3	
		Dampfleistung [kg/h] Steam capacity [kg/h] Capacité de vapeur [kg/h]		5/8	5/8	15	23	32	45	64	65	90	130	5/8	5/8	15	23	32	46	
Pos	Artikel Article Article	Type Type Type	524 / 824	534 / 834	1534	2364	3264	4564	6464	6564	9064	13064	522 / 822	532 / 832	1532	2362	3262	4662	6462	Art.-/SAP-Nr. Art.-/SAP-No. Art.-/SAP-No.
222	SC-Pumpe SC-System pump Pompe SC-system		1	1	1	1	1	1	2	1	2	2	1	1	1	1	1	2	2	2559911
223	Rückschlagventil SC-System Check valve SC-System Soupape de retenue SC-System		1	1	1	1	1	1	2	1	2	2	1	1	1	1	1	2	2	2560221
224	SC-Schlauch SC-hose Tuyau SC	L = 600mm L = 700mm L = 740mm	1	1		1		1	1	2	1	2	2	1		1		2	2	2560222 2560223 2560224
---	Kondensatschlauch Condensate hose Tuyau de condensat	KS10 (ø8/12mm)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	1103350
300	Sensorstecker mit Kabel Sensor plug with cable Fiche de connexion du senseur avec câble	ø 5mm	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2553025
301	Kabelbaum kpl. Cable tree cpl. Faisceau de câble cpl.		1	1										1						2559608 2559607 2559609 2559610 2559612 2559611 2559613
302	Dampfzylinderstecker, 3 Stk. Cylinder plug, 3 pcs Fiche de connexion du cylindre, 3 pcs	ø 5mm ø 6mm; 6mm² ø 6mm; 10mm²	1	1		1	2	2	2	4			1	1	1	2		4	4	2559614 2553024 2559617
303	Austauschzylinder Exchange cylinder Cylindre à échanger	522A / 822A 524A / 824A 532A / 832A 534A / 834A 1532A 1534A 2362A 2364A 3262A 3264A 4564A 6564A	1		1								1		1					5170000 5170001 5170002 5170003 5170004 5170005 5170006 5170007 5170008 5170009 5170010 5170011
304	Ablass-Sieb, 3 Stk. Drainage strainer, 3 pcs Cartouche filtrante d'écoulement, 3 pcs		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	2559683



Reg.No. 40002-2

Manufacturer:

Nordmann Engineering Ltd.

Talstr. 35-37, P.O. Box, CH-8808 Pfäffikon (Switzerland)

Phone +41 55 416 66 06, Fax +41 55 416 62 46

www.nordmann-engineering.com, info@nordmann-engineering.com

NORDMANN
ENGINEERING